







CARVING COLLECTION

Carving collection

ULTRA SHIELD TECHNOLOGY



ADISON BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ADISON IVORY

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ALEXA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ALEXA CHOCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ALEXA GREY

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ALPEIN BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE


CHOCOLATS

Carving collection

ULTRA SHIELD TECHNOLOGY



ANTIC BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE





AURORA CREMA

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



AURORA WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE





BENTLY BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





BURNEY DARK GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE


Elliott Erwitt Snaps

Carving collection | ULTRA SHIELD TECHNOLOGY



CALIFORNIA GOLD

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE


Elliott Erwitt Snaps

Carving collection | ULTRA SHIELD TECHNOLOGY



CARVIN WHITE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



CASA WHITE

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



CASPINA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



COLORADO WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
01

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE





COMBIN NATURAL

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



CORDELA CREMA

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



CORDELA GREY

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





CORNICO BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE





CORNICO BROWN

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





CREMA MARFIL

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





DIA BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE


CALVINO
ERIK SATIE

Carving collection

ULTRA SHIELD TECHNOLOGY



ELECTRA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ELITE BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE


INTERIOR DESIGN INSPIRATIONS

Carving collection | ULTRA SHIELD TECHNOLOGY



ELITE BIANCO

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ELITE BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ELITE CHOCO

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ELITE GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ESHA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE


ENZO MARI CURATED
BY HANS ULRICH OBRIST

Carving collection

ULTRA SHIELD TECHNOLOGY



ESHA NERO

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



EVORA SILVER

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE





Carving collection

ULTRA SHIELD TECHNOLOGY



FOREST CREMA

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE


THE NY ART BOOK FAIR
ART AND JUSTICE

Carving collection | ULTRA SHIELD TECHNOLOGY



FURRY BEIGE

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



GLORIOUS BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE





GLORIOUS IVORY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE





GUCCHI LIGHT GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE





IRON GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



IRON NATURAL

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE

ROOMS

RECEPTION

ART HOUSE



JORDEN MARFIL

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



LAXE BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



LAXE GRIS

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



LEVANZO CREMA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



LIRICA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



MATRIC BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView

ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE





MATRIC GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



METTON GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



MORNING STAR

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





NICOLE GREY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



NICOLE VARDE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ONICE BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



OXTON AQUA

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



OXTON WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



PESTIN BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





PESTIN CREMA

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





PESTIN WHITE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE





POLDI CREMA

Dimension :
800X1600MM

Surface
CARVING

Random
01

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



POLDI NATURAL

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
01

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE





SAXON BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE


VINTAGE MENSWEAR

Carving collection

ULTRA SHIELD TECHNOLOGY



SEASTONE GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE


MUSEUMS
MAPPLETHORPE
my DOG
LUXURY TOYS

Carving collection | ULTRA SHIELD TECHNOLOGY



SILVIA BIANCO

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



SILVIA GREY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



SPIDER GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE


ENCHANTRESS
TYPOGRAPHY
GREY

Carving collection | ULTRA SHIELD TECHNOLOGY



TANZA BEIGE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE


MUSEUMS



TANZA CREMA

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



TESLA GOLD

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
01

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



THUNDER WHITE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



VICTORIA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



VICTORIA GREY

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



VOLTERRA BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE












THE FASHION BOOK
THE ALLURE OF MEN
THE ALLURE OF WOMEN







Carving collection | ULTRA SHIELD TECHNOLOGY



ZAS WHITE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE











CARVING
ENDLESS COLLECTION

Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS AERO BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS AERO WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE

Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS ALPHA WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS APEX BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS APEX BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS ARBASCATO WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS ASPERA WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS ASPRIN GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS BRUNO BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS BRUNO BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS BRUNO GREY

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS COSMIC CREMA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView

ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS COSMIC GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS COSMIC WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS ENPOLI BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS ESTRADA WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE


BAUHAUS

Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS GRISTON CREMA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS LIME BLACK

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE

Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS LIME BROWN

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS LIMS BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE


Picasso Guitars

Carving collection

ULTRA SHIELD TECHNOLOGY



END LESS LINEAS GRIS

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
01

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS MARTIN BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS MARTIN GREY

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE
HYGIENIC SURFACE
FIRE RESISTANCE
EASY MAINTENANCE
HIGH DURABILITY
WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS MARTINO SAGA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS NIVA BIANCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS NIVA GREY

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS NORWAY AZUL

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
03

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE


CONGDON
America addio
BEYOND THE FALL ANTHONY SUAU

Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS OXFORD CREMA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS PERRY SILVER

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS TASCAN BEIGE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS TASCAN WHITE

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS TAUPE BEIGE

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection

ULTRA SHIELD TECHNOLOGY



ENDLESS TAUPE SILVER

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE

HYGIENIC SURFACE

FIRE RESISTANCE

EASY MAINTENANCE

HIGH DURABILITY

WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS TAUPE WHITE

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

CERTIFIED ISO 9001-2015 COMPANY

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE


M
&
P
GRRR!
LE CHIEN

Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS TRAVERA CHOCO

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
04

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



Carving collection | ULTRA SHIELD TECHNOLOGY



ENDLESS VENUS CREMA

CERTIFIED ISO 9001-2015 COMPANY

Dimension :
800X1600MM

Surface
CARVING

Random
02

Thickness
9 MM

360° TouchView



ANTI SLIP SURFACE | HYGIENIC SURFACE | FIRE RESISTANCE | EASY MAINTENANCE | HIGH DURABILITY | WATER RESISTANCE



1. Easy to clean
2. Hygienic / Antibacterial surface
3. Water resistant
4. Impact resistant
5. Frost resistant
6. Scratch resistant
7. Chemical & Stain resistant
8. Fire resistant

CREATIVE AWAKENING OF DESIGNS



VERSATILE SIZE

Available in the grand size, the collection presents you with a perfect tiling solution to create seamless interiors.

SAFE & SECURE

Non-porous, hygienic, stain and scratch protected, the tiles from this collection are also ice and thermal shock-resistant.

DESIGN VARIETIES

Available across a spectrum of patterns, the collection offers variety for all kinds of spaces and preferences.

MORE SUSTAINABLE

The collection is made from exceptionally durable and recyclable material, giving it an edge with its ecological and eco friendliness.

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF ROLLSTAR PGVT	MEAN VALUE OF ROLLSTAR GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm^2	Min. 40 N/mm^2	Min. 40 N/mm^2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. $9.0x10^{-6}$	Max. $6.5x10^{-6}$	Max. $6.5x10^{-6}$	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	Thickness (approx*)	Pieces / Box	Area / Box	Weight / Box (approx*)
1200X1800MM	9MM	2 pcs.	4.32 sq. mtr.	90 kgs.
1200X1200MM	9MM	2 pcs.	2.88 sq. mtr.	60 kgs.
800X1600MM	9MM	2 pcs.	2.56 sq. mtr.	51 kgs.
600X1800MM	9MM	2 pcs.	2.16 sq. mtr.	43 kgs.
750X1500MM	9MM	2 pcs.	2.25 sq. mtr.	44 kgs.
600X1200MM	9MM	2 pcs.	1.44 sq. mtr.	28 kgs.
800X800MM	8.5MM	3 pcs.	1.92 sq. mtr.	37 kgs.

OUR GLOBAL NETWORK



Packing Detail :	
SIZE	800X1600 MM
THICKNESS(APPROX)	9 MM
PCS/BOX	02 PCS
COVERAGE AREA	27.55 SQ FT / 2.56 SQ MTR
WEIGHT(APPROX)	51 KGS.


600X
1800MM
800X
800MM
800X
1600MM
1200X
1800MM
1200X
1200MM